

FIRE MARKET

PROFESSIONAL-GRADE
ILLUMINATION TOOLS



STREAMLIGHT®

WHY STREAMLIGHT.

IT COMES DOWN TO PERFORMANCE. PERIOD.

People who depend on their flashlights – often for their lives – count on them to perform every time. The conditions don't matter, whether in the freezing cold, scorching heat, desert dry conditions or rainforest humidity. Some flashlights may have even been abused, dropped in water, or left in icy snow – no matter what, Streamlight products stand up to the worst conditions.

Streamlight users know that our lighting tools deliver the best performance for any task at hand. Whether it's lighting up a whole room or long range lighting, scene lighting or task lighting or even specialized lighting such as Infra-Red or Ultraviolet illumination, Streamlight has the right tool for the job. And when size and run time are essential, we offer several products that shine brighter and last longer.

BEHIND THE PERFORMANCE

A lot goes into bringing you lights that deliver this kind of performance. It begins with YOU. We listen to our customers and learn what they need. Understanding how lights are used in different situations leads to innovative designs and game-changing technologies. After we've met the challenges involved with designing and engineering a light, we put it through the most demanding industry tests to ensure the highest levels of performance and dependability.

All types of people depend on our products to perform, to increase productivity and to save lives. Whether you're in combat, serving and protecting the community, fighting fires, involved in search and rescue, working on utilities, camping, plumbing, auto repair or just lighting your home in a power failure, you can trust Streamlight.



CONTINUOUS INNOVATION & NEW PRODUCTS

IT'S WHAT WE DO.

Since 1973, Streamlight has delivered effective, efficient high-performance lighting solutions.

The latest technology delivers unmatched performance, unheard of durability and incredible value. We've earned our reputation one customer at a time. And we're not about to let up now.



PORTABLE SCENE LIGHT II pg. 10



FIRE VULCAN® LED pg. 13



SURVIVOR® pg. 16



KNUCKLEHEAD® SPOT pg. 17




VANTAGE® II pg. 26



VANTAGE® pg. 27



POLYTAC® HELMET LIGHTING KIT pg. 28



3AA PROPOLYMER® HAZ-LO® HELMET LIGHTING KIT pg. 29



4AA PROPOLYMER® LUX® pg. 29



POCKET MATE® USB pg. 30



STYLUS PRO® SERIES pg. 31



DUALIE® 2AA pg. 36



DUALIE® 3AA pg. 36



DUALIE® RECHARGEABLE pg. 36



SUPER SIEGE® pg. 38



THE SIEGE® pg. 39



SIEGE® AA pg. 39



SIEGE® X USB pg. 39



TWIN-TASK® 3AA HEADLAMP pg. 41



VULCAN® 180/
HAZ-LO® pg. 6



E-FLOOD® LITEBOX® HL
pg. 7



HID LITEBOX®
pg. 7



PORTABLE SCENE
LIGHT/EXT pg. 8



E-FLOOD® LITEBOX®/
FIREBOX® pg. 12



E-SPOT® LITEBOX®/
FIREBOX® pg. 12



DUALIE
WAYPOINT® pg. 20



WAYPOINT®
pg. 21



WAYPOINT® 300
pg. 21



VANTAGE® 180 X
pg. 22



POLYTAC 90® X
pg. 23



SL-B26® LI-ION BATTERY &
BANK CHARGER pgs. 24-25



MICROSTREAM®
SERIES pg. 31



MACROSTREAM®
USB pg. 31



STINGER® 2020
pg. 32



STINGER LED HL®
pg. 32



STRION LED HL®
pg. 32



POLYTAC® X
pg. 34



PROTAC® HL-X
pg. 34



PROTAC® 90 X
pg. 35



BANDIT® PRO
pg. 41



ENDURO® PRO
pg. 41



VANTAGE® (NFFF)
pg. 42



SIEGE® AA (NFFF)
pg. 42



NANO LIGHT® (NFFF)
pg. 42

TO LEARN MORE TUNE INTO
[YOUTUBE.COM/STREAMLIGHTTV](https://www.youtube.com/streamlighttv)




VULCAN® 180 HAZ-LO® // VULCAN® 180

The multi-function Vulcan 180 series features a 180° articulating head to aim the beam for scene lighting.

The new Vulcan 180 HAZ-LO was developed for use in hazardous locations on a portable scene light platform.

Combine the three extreme bright white LEDs with cordless operation to eliminate trip hazards while two ultra-bright blue taillights provide visibility in thick smoke.

BATTERY: Lithium ion
SIZE: 7.43" (18.8 cm)
WEIGHT: 2.45 lbs (1.12kg)
COLOR: Orange

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position

HAZ-LO DIV 1 MODEL:

	HIGH	LOW
LUMENS:	400	130
CANDELA:	25,000	8,000
DISTANCE:	316m	128m
RUN TIME:	10h	24h




Class I, Division 1, Groups A, B, C, D, E, F, G; Class I, Zone 0, Groups IIC, Class III; T-Code: T4

DIV 2 MODEL:

	HIGH	LOW
LUMENS:	1,200	350
CANDELA:	75,000	22,000
DISTANCE:	548m	296m
RUN TIME:	5.75h	16h



Class I, Div. 2 Groups A, B, C, D; Class II Division 2 F, G; Class III; Temperature Class T4



HAZ-LO DIV 1 MODEL:

ITEM #	ITEM DESCRIPTION
44331	VULCAN 180 HAZ-LO - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE
44335	VULCAN 180 HAZ-LO - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE STRAP - ORANGE

DIV 2 MODEL:

ITEM #	ITEM DESCRIPTION
44311	VULCAN 180 [DIV. 2] - STD SYSTEM - 120V AC/12V DC, QUICK RELEASE STRAP - ORANGE
44315	VULCAN 180 [DIV. 2] - VEHICLE MOUNT SYSTEM - 12V DC, QUICK RELEASE STRAP - ORANGE

E-FLOOD® LITEBOX® HL

The E-Flood LiteBox HL features six ultra-bright white LEDs that produce 5,300 lumens to flood an entire area with light. An integrated diffuser lets you select from a flood and spot lens in three lighting intensities and a 90° swivel neck lets you aim light where it's needed. It's ideal for illuminating a rescue scene or any site that requires a large flood beam. Includes a 10ft DC power cord - plug into external power source, and it will charge while in use.

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
CANDELA:	42,000	21,300	11,600
DISTANCE:	410m	292m	215m
RUN TIME:	1.75h	4.5h	10h



BATTERY: Zero-maintenance 12V sealed lead acid
SIZE: 12.3" x 5.1" x 7.7" (31 x 13 x 19 cm)
WEIGHT: 10.4 lb (4.7 kg)
COLOR: Orange

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



ITEM #	ITEM DESCRIPTION
45661	E-FLOOD LITEBOX HL - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK - ORANGE
45665	E-FLOOD LITEBOX HL - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
45660	E-FLOOD LITEBOX HL - WITHOUT CHARGER - ORANGE

HID LITEBOX®

This portable, one million candela searchlight illuminates objects up to a mile away. It features a 35W, high intensity xenon lamp and a 90° swivel head. Intense brightness and amazing 1-mile reach make this the ideal hand-held lantern when you need to inspect an entire area quickly and efficiently.

LUMENS:	3,350
CANDELA:	1,00,000
RUN TIME:	1.75h

BATTERY: Zero-maintenance 12V sealed lead acid
SIZE: 14.9" (38 cm)
WEIGHT: 10 lbs 1.6 oz (4.6 kg)
COLOR: Orange or Black

NFPA

Rack meets requirements of NFPA 1901-14.1.10.2 (2016) mounted in any position



10 ft (3 meters) 12V DC power cord plugs into port at rear of light to provide indefinite run time

HID LiteBox battery will continue to charge while operating directly from an external 12V DC power source when using the power cord

ORANGE	BLACK	ITEM DESCRIPTION
45601	45621	HID LITEBOX - STD SYSTEM - 120V AC/12V DC, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45605	45625	HID LITEBOX - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS
45600	45620	HID LITEBOX - WITHOUT CHARGER - INCLUDES 10FT (3M) 12V DC CORD, SHOULDER STRAP, FLOOD LENS

PORTABLE SCENE LIGHT

	HIGH	MEDIUM	LOW
LUMENS:	5,300	2,500	1,300
DISTANCE:	410m	292m	215m
RUN TIME:	4h	9h	18h

The Portable Scene Light provides rapid deployment on site, and it goes anywhere. It extends to full height within seconds and features a 90° swivel neck to shine light into the most out-of-the-way places.

Three levels of lighting and substantial run time last through several shifts. Its unique diffuser lets you select a flood or spot beam in all three levels.

Designed to adapt to tight spaces, it's also rugged enough to withstand rough terrain. Use it to light the way to your work site and set it up quickly to illuminate the entire area.

Two models:

Portable Scene Light - features a telescoping pole that extends to 72" (182.88cm)

Portable Scene Light EXT - features a longer telescoping pole that extends to 84" (213.36 cm)

Portable Scene Light packs to a compact size for easy storage (22 in.; 55.88 cm)



Portable Scene Light EXT packs to a compact size for easy storage (25.5 in.; 64.8 cm)



PORTABLE SCENE LIGHT

BATTERY: Zero-maintenance 12V sealed lead acid

SIZE: 22" (55.88 cm)

WEIGHT: 25 lb (11.3 kg)

COLOR: Yellow

PORTABLE SCENE LIGHT EXT

BATTERY: Zero-maintenance 12V sealed lead acid

SIZE: 25.5" (64.8 cm)

WEIGHT: 25.5 lb (11.6 kg)

COLOR: Yellow



ITEM #	ITEM DESCRIPTION
45670	PORTABLE SCENE LIGHT -120V AC/12V DC — YELLOW
45680	PORTABLE SCENE LIGHT EXT -120V AC/12V DC — YELLOW



Extends to full height with the stabilization legs fully deployed and locked in less than 30 seconds

Portable Scene Light EXT: pole extends to 84" (213.36 cm)

Portable Scene Light: pole extends to 72" (182.88cm)



Special Features:

- Full deployment in 30 seconds
- Designed to resist 40mph wind continuous in all directions with head fully extended
- Unlimited run time using AC/DC power source
- IP67 rated; dust-tight and **WATERPROOF TO 1M FOR 30 MINUTES**
- Stabilization legs provide balance on uneven surfaces

Balanced design; lead acid batteries provide ballast and stability

PORTABLE SCENE LIGHT II : TURN TO A HIGHER POWER

- STACKABLE FOR “LIGHT TOWER” CAPABILITY
- 360-DEGREE ROTATING HEAD
- PORTABLE, CORDLESS AND LIGHTWEIGHT
- HIGH-QUALITY, VIRTUALLY INDESTRUCTIBLE ALLOY STEEL FRAME
- WATERPROOF
- 10,000 LUMENS



PORTABLE SCENE LIGHT II

	100%	80%	60%	40%	20%
LUMENS:	10,000	8,300	6,300	4,500	2,300
RUN TIME:	2h	2.75h	3.75h	5.75h	11h

Turn to a higher power with the Portable Scene Light II. 18 LEDs produce 10,000 lumens to light up the entire scene. With zero deployment time, it features a compact footprint, 360° rotating head and it's stackable for “light tower” capability with multi-level lighting. High-impact thermoplastic housing mounted in a virtually indestructible alloy steel frame. Hooked feet for hanging over doors, guard rails, fences, etc.

The perfect scene light for marking exits, post fire investigation, fire ground clean-up, mobile triage center lighting, etc.



Hang over doors, guard rails, fences, etc.

Digital display shows intensity level and run time



Toggle switch - choose from 5 intensity levels

BATTERY: Lithium ion
SIZE: 16x11x12 in; [40.6x28.9x30.5 cm]
WEIGHT: 15.38 lbs [6.10kg]
COLOR: Red



ITEM #	ITEM DESCRIPTION
46000	PORTABLE SCENE LIGHT II -120V AC/12V DC — RED

CORDLESS AND COMPACT PREVENTS TRIP HAZARDS

TAKE YOUR WORK SITE FROM THIS:

TO THIS:



The Portable Scene Light II makes your work site safer and clean up easier. It's cordless and compact so it removes trip hazards and is easy to maneuver around. Stackable for "light tower" capability, individual units feature a 360° rotating head to aim the beam for multi-level lighting. Lightweight - under 16 lbs - so if you need to grab one off the stack and move to another location, it won't weigh you down.

Special Features:

- Portable, cordless, ultra compact
- Zero deployment time
- Virtually indestructible alloy steel frame
- Unlimited run time using AC/DC power source
 - Batteries will continue to charge while in use
- **IPX7 WATERPROOF TO 1M FOR 30 MINUTES**

Use a single unit or stack for multi-level lighting



THE E-FLOOD & E-SPOT SERIES ARE ABOUT

DELIVERING THE RIGHT LIGHT EXACTLY WHERE YOU NEED IT.

E-FLOOD® LITEBOX® // E-FLOOD® FIREBOX®

	HIGH	LOW
LUMENS:	615	330
CANDELA:	4,000	2,150
DISTANCE:	126m	93m
RUN TIME:	8h	18h



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

Six LEDs spread light over an entire area. An extended run time – 18 hours – allows you to keep large areas illuminated no matter how long your shift lasts. Swivel the head to point light where you need it. IPX4 water-resistant.

E-FLOOD LITEBOX / E-FLOOD FIREBOX

BATTERY: Zero-maintenance sealed lead acid
SIZE: 11.5 [29.2 cm]
WEIGHT: 7 lbs 14.4 oz [3.58 kg]
COLOR: Orange or Yellow

ORANGE	YELLOW	ITEM DESCRIPTION
E-FLOOD LITEBOX		
45801	45821	E-FLOOD LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45805	45825	E-FLOOD LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45807	--	E-FLOOD LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45806	45826	E-FLOOD LITEBOX- WITHOUT CHARGER
E-FLOOD FIREBOX (DUAL REAR LEDS)		
45811	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45815	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45832	--	E-FLOOD FIREBOX - WITHOUT CHARGER

E-SPOT® LITEBOX® // E-SPOT® FIREBOX®

	HIGH	LOW
LUMENS:	540	330
CANDELA:	55,000	32,000
DISTANCE:	469m	358m
RUN TIME:	7h	15h



E-Spot FireBox features dual rear LEDs to ensure you can be seen from behind.

NFPA

Rack meets requirements of NFPA 1901-14.1.11.2 (2003) mounted in any position

Three LEDs spotlight an area with focused bright light so you can search or inspect from a distance. It features a swivel head that makes it easy to inspect ceilings and out-of-the-way places. IPX4 water-resistant.

E-SPOT LITEBOX / E-SPOT FIREBOX

BATTERY: Zero-maintenance sealed lead acid
SIZE: 11.5 [29.2 cm]
WEIGHT: 7 lbs 14.4 oz [3.58 kg]
COLOR: Orange or Yellow

ORANGE	YELLOW	ITEM DESCRIPTION
E-SPOT LITEBOX		
45851	45871	E-SPOT LITEBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45855	45875	E-SPOT LITEBOX VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45857	--	E-SPOT LITEBOX POWER FAILURE SYSTEM - 120V AC/12V DC, MOUNTING RACK
45856	45866	E-SPOT LITEBOX- WITHOUT CHARGER
E-SPOT FIREBOX (DUAL REAR LEDS)		
45861	--	E-FLOOD FIREBOX - 120V AC/12V DC, SHOULDER STRAP & MOUNTING RACK
45865	--	E-FLOOD FIREBOX - VEHICLE MOUNT SYSTEM - 12V DC, SHOULDER STRAP
45882	--	E-FLOOD FIREBOX - WITHOUT CHARGER

Power Failure System features "Smart" power failure circuitry which automatically illuminates the light when the power is lost.



FIRE VULCAN® LED

This lightweight lantern features two ultra-bright blue taillight LEDs that help you be seen even in thick smoke. It is IPX7 rated - waterproof to 1m for 30 minutes, and it floats! Programmable light functions let you control the order in which the modes come on. Other features include an unbreakable, scratch-resistant, O-ring sealed lens and a quick-release shoulder strap.

BATTERY: Lithium ion
SIZE: 7.5" (19.05 cm)
WEIGHT: 1.85 lbs (839 kg)
COLOR: Orange

	HIGH	LOW
LUMENS:	180	80
CANDELA:	100,000	45,000
RUN TIME:	5h	10h

Ultra-bright blue tail light LEDs make certain you can be seen, even in thick smoke.



Class I, Div. 2, Groups A, B, C, D;
 Class II, Div. 2, Groups F, G;
 Class III T-Code: T4

NFPA

Rack meets requirements of
 NFPA 1901-14.1.10.2 (2016)
 mounted in any position



ITEM #	ITEM DESCRIPTION
44450	FIRE VULCAN LED - STD SYSTEM - 120V AC/12V DC, SHOULDER STRAP & RACK - ORANGE
44451	FIRE VULCAN LED - VEHICLE MOUNT SYSTEM - 12V DC DIRECT WIRE RACK, SHOULDER STRAP - ORANGE
44454	FIRE VULCAN LED - WITHOUT CHARGER - ORANGE

RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY		PART #	GOES WITH
STANDARD MOUNTING RACK – ORANGE VEHICLE MOUNTING RACK – ORANGE		45070 45071	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX
STANDARD MOUNTING RACK – YELLOW VEHICLE MOUNTING RACK – YELLOW		45072 45074	E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX
STANDARD MOUNTING RACK – BLACK VEHICLE MOUNTING RACK – BLACK		45075 45076	HID LITEBOX
STANDARD CHARGE RACK - BLACK VEHICLE MOUNTING RACK - BLACK		44103 44132	FIRE VULCAN LED
STANDARD RACK - BLACK DIRECT WIRE 12V DC RACK KIT - BLACK		44350 44306	VULCAN 180
12V DC (CAR SOCKET) CHARGE CORD		22051	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
12V DC CHARGE CORD		22050	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
12V DC CHARGE CORD (10 FT/3M)		22056	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE LIGHT II, E-FLOOD LITEBOX HL, HID LITEBOX
120V AC CHARGE CORD		22060	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/ FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
POWER SUPPLY 120V AC CHARGE CORD		22083 22074	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, PORTABLE SCENE LIGHT II
BATTERY (SEALED LEAD ACID)		45630	PORTABLE SCENE LIGHT, PORTABLE SCENE LIGHT EXT, E-FLOOD LITEBOX HL, HID LITEBOX
BATTERY (SEALED LEAD ACID)		45937	E-FLOOD LITEBOX, E-SPOT LITEBOX
BATTERY (LITHIUM ION)		44610	FIRE VULCAN LED
BATTERY (LITHIUM ION)		44351	VULCAN 180
BATTERY (LITHIUM ION)		44352	VULCAN 180 HAZ-LO
BATTERY (LITHIUM ION)		46005	PORTABLE SCENE LIGHT II

VULCAN[®] 180

BURNS BRIGHTER. LASTS LONGER. KICKS ASH.


MULTIPURPOSE, RECHARGEABLE LANTERN.

- 1200 LUMENS
- 180° ARTICULATING HEAD
- MADE TO USE WITH GLOVED HANDS
 - LARGE HANDLE FOR A SURE GRIP
 - BIG PUSH-BUTTON SWITCH FOR EASY OPERATION
- DESIGNED BY FIREFIGHTERS FOR FIREFIGHTERS
- BACKED BY OVER 45 YEARS OF STREAMLIGHT COMMITMENT



RECHARGEABLE LANTERNS ACCESSORIES

ACCESSORY	PART #	GOES WITH
HID BULB KIT 	45637	HID LITEBOX
FLOOD LENS 	45657	HID LITEBOX
IR FILTER 	45654	HID LITEBOX
E-SPOT UPGRADE KIT 	45845	E-SPOT LITEBOX/FIREBOX
E-FLOOD UPGRADE KIT 	45842	E-FLOOD LITEBOX/FIREBOX
QUICK RELEASE STRAP 	44050	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
HEAVY DUTY STRAP 	45232	E-FLOOD LITEBOX HL, E-FLOOD LITEBOX/FIREBOX, E-SPOT LITEBOX/FIREBOX, HID LITEBOX, FIRE VULCAN LED, VULCAN 180
HEAVY DUTY STRAP WITH CARABINER LOCK 	45677	PORTABLE SCENE LIGHT



THE MOST TRUSTED RIGHT ANGLE LIGHT
THIN, BRIGHT & EXTREMELY VERSATILE
SURVIVOR



SURVIVOR®

This leading Class I, Div. 1 right angle flashlight features a slim profile, a D-ring for accurate light orientation and a spring-loaded clip that grabs onto your gear. Four lighting modes include high, low, flash, and moonlight (for low-level lighting to preserve batteries). IPX4 water-resistant. Unbreakable, scratch-resistant polycarbonate lens. Push-button switch is designed for easy operation even with heavy gloves.

- BATTERY:** Rechargeable NiMH battery pack; also accepts 4 "AA" alkaline batteries
- SIZE:** 7.6" (17.92 cm)
- RECH WEIGHT:** 1 lb, 1.9 oz (508g)
- ALKALINE WEIGHT:** 13.1 oz (388g)
- COLOR:** Orange, Yellow, or Black

ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
90503	90513	90523	SURVIVOR - 120V AC/12V DC
90502	90512	90522	SURVIVOR - 120V AC FAST CHARGER
90509	90519	90528	SURVIVOR - 12V DC FAST CHARGER
90500	90510	90520	SURVIVOR - WITHOUT CHARGER
90540	90541	90545	SURVIVOR - ALKALINE

Interchangeable Smoke Cutter® plugs:



Black reduces peripheral light for a tighter beam

Amber reduces peripheral light and eye fatigue caused by glare



	HIGH	LOW
LUMENS:	175	60
CANDELA:	41,000	14,000
DISTANCE:	405m	237m
RUN TIME (RECH):	3.5h	13h
RUN TIME (ALK):	4h	15h
MOONLIGHT MODE: RUNS 20 DAYS		
FLASH RUNS 8 HOURS		



Class I & II, Division 1, Groups C, D, E, F, G;
 Class III, T4; Class I, Division 2,
 Groups A, B, C, D; T4



Flashlight meets 500°F requirements of NFPA 1971-8.6 (2013)



Rack meets requirements of 1901-14.1.10.2 (2016) mounted in any position



Permissible Flashlight, Approval No. 20-A150001-0 (Alkaline model)



WHETHER YOU'RE WORKING ON THE FLOOR
OR OVERHEAD, THE
KNUCKLEHEAD
IS YOUR PARTNER.

KNUCKLEHEAD® SPOT

	HIGH	LOW
LUMENS:	180	55
CANDELA:	11,000	3,300
DISTANCE:	210m	115m
RUN TIME:	3.5h	16h
MOONLIGHT MODE: RUNS 20 DAYS		
FLASH RUNS 8 HOURS		

Spring-loaded clip attaches to turn-out gear for convenient hands-free lighting.



Powerful magnet



Class I, Div. 2, Grps A, B, C, D,
Class II, Div. 2, Grps F, G
Class III T3C

NFPA

Rack meets requirements of
1901-14.1.10.2 (2016)
mounted in any position

Its far-reaching beam helps locate hazards or victims from a distance. The following features are designed to give firefighters added flexibility: Articulating, rotating head makes it easy to aim light where it's needed. Powerful, removable magnet adheres to steel surfaces. Spring-loaded clip grabs onto turnout gear. Four modes include high, low, flash and moonlight (for low-level lighting and a 20-day run time). Unbreakable, anti-scratch lens. O-ring sealed. IPX4 water-resistant.

BATTERY: Rechargeable NiMH battery pack; also accepts 4 "AA" alkaline batteries

SIZE: 9.2" [23.4 cm]

RECH WEIGHT: 1 lb 7.1 oz [655g]

ALKALINE WEIGHT: 1 lb 2.3 oz [519g]

COLOR: Orange

ITEM #	ITEM DESCRIPTION
90757	120V AC/12V DC - ORANGE
90761	120V AC FAST CHARGE - ORANGE
90770	12V DC FAST CHARGE - ORANGE
90751	WITHOUT CHARGER - ORANGE
90744	ALKALINE MODEL - ORANGE





SURVIVOR/KNUCKLEHEAD ACCESSORIES

KNUCKLEHEAD/SURVIVOR ACCESSORIES	KNUCKLEHEAD FLOOD	KNUCKLEHEAD SPOT	KNUCKLEHEAD HAZ-LO FLOOD	KNUCKLEHEAD HAZ-LO SPOT	SURVIVOR
5 UNIT 120V AC BANK CHARGER 	90400	90400	90400	90400	90400
5 UNIT 12V DC BANK CHARGER 	90401	90401	90401	90401	90401
SMART CHARGER 	90116	90116	90116	90116	90116
FAST CHARGER 	90118	90118	90118	90118	90118
12V DC1 FAST CHARGER 	90112	90112	90112	90112	90112
12V DC2 FAST CHARGER 	90113	90113	90113	90113	90113
NIMH BATTERY 	90339	90339	90339	90339	90339
ALKALINE BATTERY CARTRIDGE 	90542	90542	90542	90542	90542
12V DC1 CHARGE CORD 	22051	22051	22051	22051	22051
12V DC2 CHARGE CORD 	22050	22050	22050	22050	22050
120V AC CHARGE CORD 	22060	22060	22060	22060	22060

DUALIE WAYPOINT®

The Dualie Waypoint features dual beam technology with a forward facing spot beam and a bottom facing flood light that can be used individually or at the same time. See what's ahead of you and right in front of your feet. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Multiple hands-free uses - hang it over a door, stand it on its kickstand or hang it with integrated D-ring. Its ergonomic handle hooks over doors, pipes, ladder rungs, etc., for hands-free use. IPX7 waterproof to 1m, making it ideal for wet applications.

COMBO	HIGH	MEDIUM	LOW
LUMENS:	1,000	600	75
RUN TIME:	3h	6h	55h



SPOT	HIGH	MEDIUM	LOW
LUMENS:	750	500	35
CANDELA:	75,000	45,000	3,200
DISTANCE:	548m	428m	113m
RUN TIME:	3.5h	6h	125h

FLOOD	HIGH	MEDIUM	LOW
LUMENS:	500	230	25
CANDELA:	250	120	10
DISTANCE:	31m	22m	6m
RUN TIME:	5h	12.5h	170h

BATTERY: 4 "C" batteries (not included)

SIZE: 6.75" (17.14 cm)

WEIGHT: 2.06 lb (934g)

COLOR: Yellow

ITEM #	ITEM DESCRIPTION
44940	DUALIE WAYPOINT - WRAP - YELLOW
44955	DUALIE WAYPOINT - BOX - YELLOW



Push button switch with momentary and click on operation. The rotary switch selects the main/front beam, bottom/area light, or both.



LED bottom facing flood light can be used individually or with the forward facing spot beam.



Integrated stand and D-ring for hands-free lighting.

WAYPOINT®

	HIGH	LOW
LUMENS:	550	40
CANDELA:	100,000	7,900
DISTANCE:	625m	178m
RUN TIME:	10h	82h

12V DC POWER CORD - UNLIMITED RUN TIME
EMERGENCY SIGNAL: RUNS 82 HOURS



Trigger style switch with momentary operation

Integrated stand for hands-free lighting



Use the ultra-bright, long-distance beam of the Waypoint as a spotlight to illuminate far-off objects. This pistol grip light has a trigger-style switch, as well as an integrated stand so that you can set it down for hands-free lighting. It's the perfect tool for inspections or looking for addresses or any other objects you can't get close to easily. IPX4 water-resistant.

BATTERY: 4 "C" batteries (not included)
SIZE: 6.75" (17.15 cm)
WEIGHT: 1 lb 12.8 oz (816g)
COLOR: Yellow or Black



12V DC power cord for unlimited run time (does not charge batteries)



Polymer storage mount (included)

WAYPOINT® 300



	HIGH	MEDIUM	LOW
LUMENS:	1,000	550	35
CANDELA:	270,000	135,000	10,000
DISTANCE:	1,039m	735m	200m
RUN TIME:	3.75h	7.5h	87h

The rechargeable Waypoint 300 produces a far-reaching beam that reaches into corners and illuminates high ceilings and other out-of-reach places. IPX8 - waterproof to 2m and it floats. High, medium and low modes provide the right amount of light and run time needed to complete your task. An integrated stand for hands-free area lighting. Recharges in 4 hours.

BATTERY: Lithium Ion
SIZE: 6.75" (17.15 cm)
WEIGHT: 1 lb 5.2 oz (691g)
COLOR: Yellow or Black



Includes 120V AC Charge Cord



Optional 12V DC Charge Cord



Polymer storage mount (included)

ITEM #	ITEM DESCRIPTION
44900	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - YELLOW
44902	WAYPOINT - INCLUDES 12V DC POWER CORD - BOX - BLACK
44904	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - YELLOW
44905	WAYPOINT - INCLUDES 12V DC POWER CORD - CLAM - BLACK
44908	POLYMER STORAGE MOUNT
44903	12V DC POWER CORD*

*12V DC POWER CORD DOES NOT CHARGE BATTERIES

ITEM #	ITEM DESCRIPTION
44910	WAYPOINT 300 - 120V AC - BOX - YELLOW
44911	WAYPOINT 300 - 120V AC - BOX - BLACK
44918	POLYMER STORAGE MOUNT
44909	120V AC CHARGE CORD
44923	12V DC CORD

HELMET/RIGHT-ANGLE MULTI-FUNCTION FLASHLIGHT EXTREMELY VERSATILE VANTAGE 180 X

VANTAGE® 180 X USB // VANTAGE® 180 X

This multi-fuel, multi-function light is the most versatile rechargeable firefighter's light. It's a helmet mounted light, right angle light and a hand-held flashlight. The Vantage 180 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack with integrated USB port. The Vantage 180 X includes two CR123 batteries.

Easily attaches above or below the brim of most helmets providing a bright main white LED and blue safety taillight. Quickly detaches for hand-held and clip-on right angle light with white taillight and downcast light to see what's at your feet. IPX7 waterproof.



Head articulates 180° to aim the beam.



Use as a helmet light. Easily attaches above or below brim. No tools necessary to quickly remove for use as a hand-held flashlight

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.20" (13.20 cm)

WEIGHT: 5.9 oz (167g) [SL-b26]; 5.5 oz (156 g) [CR123A]

COLOR: Black or Orange

ORANGE	BLACK	ITEM DESCRIPTION
88911	88913	VANTAGE 180 X USB - SL-B26 BATTERY PACK
88901	88903	VANTAGE 180 X - LITHIUM BATTERIES

	HIGH	LOW
LUMENS:	250	100
CANDELA:	7,200	2,650
DISTANCE:	170m	103m
RUN TIME (CR123):	4h	12h
RUN TIME (SL-B26):	5h	15h



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test

CE Meets applicable European Community Directives

Includes "quick release" helmet bracket and hex key



Rear LED Taillight changes from blue to white:

- Blue LED for helmet mount use and visibility in heavy smoke
- White LED for a downcast flood light to see what's at your feet; switches from blue when head is at a 90° angle



POLYTAC 90[®]X USB // POLYTAC 90[®]X



	HIGH	LOW
LUMENS:	500	85
CANDELA:	7,000	1,050
DISTANCE:	167m	64m
RUN TIME (CR123):	2.5h	12h
RUN TIME (SL-B26):	3.75h	19h

X USB MULTI-FUEL FLEXIBILITY

POWER UP WITH A STREAMLIGHT
SL-B26 PROTECTED LI-ION USB
RECHARGEABLE BATTERY PACK
OR 2 CR123A LITHIUM BATTERIES

Flexible, rugged and super bright, the PolyTac 90 X is built with the rigors of the job in mind. Durable construction plus a switch with built in battery life indicator will let you know when it is time to recharge your battery or replace them giving you the confidence to stay focused on the task at hand.

The PolyTac 90 X USB is a rechargeable system that includes a Streamlight SL-B26™ protected Li-Ion USB rechargeable battery pack. The PolyTac 90 X includes two CR123 batteries.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries
SIZE: 4.43" (11.25 cm)
WEIGHT: 4.8 oz. (136g)(SL-B26); 4.3 oz. (122g) (CR123A)
COLOR: Orange, Yellow or Black






NFPA Meets requirements of
NFPA 1971-8.6 (2018)



Gear Keeper® Tether features spectra nylon line with 36" extension and 6 oz. retraction force.

ORANGE	YELLOW	BLACK	ITEM DESCRIPTION
88834	88831	88830	POLYTAC 90 X - LITHIUM BATTERIES
88832	--	--	POLYTAC 90 X - LITHIUM BATTERIES & GEAR KEEPER
88838	88836	88835	POLYTAC 90 X USB - SL-B26 BATTERY PACK
88837	--	--	POLYTAC 90 X USB - SL-B26 BATTERY PACK & GEAR KEEPER

VANTAGE[®] 180 X // POLYTAC 90[®]X ACCESSORIES

ACCESSORY	PART #	GOES WITH
GEAR KEEPER 	88833	POLYTAC 90 X
CR123A LITHIUM BATTERIES 2PK  6PK 12PK 400PK	85175 85180 85177 85179	VANTAGE 180 X, POLYTAC 90 X
SL-B26 BATTERY PACK - 1PK  SL-B26 BATTERY PACK - 2PK	22101 22102	VANTAGE 180 X USB, POLYTAC 90 X USB
LI-ION BATTERY PACK KIT - USB  LI-ION BATTERY PACK KIT - 120V AC	22010 22011	VANTAGE 180 X USB, POLYTAC 90 X USB
LI-ION BANK CHARGER 	SEE PAGE 25	VANTAGE 180 X USB, POLYTAC 90 X USB
USB CORD - 40" (101 CM) USB CORD - 22" (55.88 CM)	22070 22081	VANTAGE 180 X USB, POLYTAC 90 X USB

MULTI-FUEL FLEXIBILITY

A NEW WAY TO LOOK AT BATTERIES AND RECHARGEABILITY

THE FLEXIBILITY TO POWER YOUR LIGHT WITH...



OR



SL-B26™ PROTECTED LITHIUM ION USB RECHARGEABLE BATTERY PACK

The battery that transforms multi-fuel, high-performance lighting tools into rechargeable systems.

USB rechargeable - Features micro-USB input and charge status indicators; charges in 5 hours. Integrated safety circuit protects battery from overcharge.

Charge via USB source or optional charge cradle - or bank charger for departmental use. The charge cradle is ideal for storage as well as to charge your batteries.

BATTERY: 2600mAh SL-B26 protected Li-Ion USB rechargeable battery pack

SIZE: 2.75" (7 cm)

BATTERY WEIGHT: 1.7 oz (48g)

OPTIONAL CHARGE CRADLE

SIZE: 4.5" (11.4cm)

WEIGHT: 2.4 oz (68g)



Features integrated USB port.

Charge status LEDs:

Red = charging

Green = charged



CHARGING



CHARGED

ITEM #	ITEM DESCRIPTION
22102	SL-B26 LI-ION USB RECHARGEABLE BATTERY PACK- 2PK
22100	LI-ION CHARGE CRADLE
22010	LI-ION BATTERY PACK KIT - USB CORD, 2 SL-B26 BATTERY PACKS
22011	LI-ION BATTERY PACK KIT - 120V AC, 2 SL-B26 BATTERY PACKS
22070	40" (101 CM) USB CORD
22081	22" (55.88 CM) USB CORD

ORGANIZE, STORE AND CHARGE YOUR SL-B26 BATTERIES

EIGHT-UNIT LI-ION BANK CHARGER

Charge up to eight batteries with Streamlight's lithium ion battery bank charger. Each charge bay securely holds the battery in place - ideal for mounting on trucks. Low-profile housing (1"; 2.54 cm) requires minimal mounting area.

Charge time = 5.25 hours

Charge indicators over each battery:

- Red = charging
- Green = charged

Charges with or without optional charge cradle. Use the charge cradle for storage as well as to charge your batteries.



NFPA Meets requirements of NFPA 1901-14.1.10.2 (2016); mounted in upright position

BANK CHARGER

SIZE: 10.45" x 4.74"x1" (26.54x12.06x2.54 cm)

WEIGHT: 7.6 oz. (216g) w/o batteries; 20.88 oz. (592g) w/ batteries

ITEM #	ITEM DESCRIPTION
20221	8-UNIT BANK CHARGER - 120V AC
20220	8-UNIT BANK CHARGER - 12V DC
20224	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 120V AC
20223	8-UNIT BANK CHARGER - WITH SL-B26 BATTERIES - 12V DC
44909	120V AC CORD
44923	12V DC CORD



120V AC Charge Cord



12V DC Charge Cord

RECHARGEABLE LIGHTING SYSTEMS

Stinger® 2020
see page 32



ProTac® HL-X USB
see page 34



PolyTac® X USB
see page 34



ProTac® 90 X USB
see page 35



Siege® X USB
see page 39



TRADITION MEETS INNOVATION

VANTAGE® II. BRIGHTER. LIGHTER. BETTER FOR FIREFIGHTERS.

- 350 LUMENS
- SEE AND BE SEEN IN HEAVY SMOKE
- BLUE TAILLIGHT ENSURES YOU CAN BE SEEN FROM BEHIND
- 45 YEARS OF COMMITMENT TO THE FIRE SERVICE



VANTAGE® II

Lightweight, compact and low profile, the VANTAGE® II is designed to easily attach above or below full brim Fire Helmets or Slotted Industrial Hard Hat mounts. The light features the latest in power LED technology combined with an ultra-bright blue LED safety taillight. Powered by a single lithium battery, sealed for water-resistance.

	HIGH	LOW
LUMENS:	350	135
CANDELA:	3,500	1,700
DISTANCE:	118m	80m
RUN TIME:	2.25h	5h

Attaches securely to your helmet - above or below brim in seconds!



BATTERY: 1 CR123A lithium
SIZE WITH FIRE MOUNT: 2.37" [6.01 cm]
FIRE MOUNT WEIGHT: 3.65 oz [103.5g]
COLOR: Black

ITEM #	ITEM DESCRIPTION
69331	VANTAGE II - [FIRE] WITH CR123A LITHIUM BATTERY
69333	VANTAGE II - [IND] WITH CR123A LITHIUM BATTERY



NFPA
 Meets requirements of
 NFPA 1971-6.6 (2013);
 500° heat resistance test



Large push-button switch features blue taillight LED that ensures you can be seen even from behind.

VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and hard hats, and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright taillight LED so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h

BATTERY: 2 CR123A lithium
SIZE: 3.26" (8.28 cm)
WEIGHT: 5.14 oz (145.7g)
COLOR: Black, Green or Red

NFPA
Meets requirements of
NFPA 1971-8.6 (2013);
500° heat resistance test

Dual direction,
easy access
on/off switch.

Ultra-bright
taillight LED.



ITEM #	ITEM DESCRIPTION
69140	VANTAGE - WITH CR123A LITHIUM BATTERIES - BLACK
69157	VANTAGE - WITH CR123A LITHIUM BATTERIES - RED (NFFF)
69189	VANTAGE - WITH CR123A LITHIUM BATTERIES - GREEN



STREAMLIGHT HELMET LIGHTING KITS

Streamlight's lighting kits fit both traditional and modern style fire fighting helmets. They provide a low-profile, lightweight and economical alternative for securely mounting a flashlight to almost any style fire helmet.

Streamlight's Helmet Mount can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. Durable, lightweight, aluminum mount easily attaches to the brim of firefighters' helmets with no tools required.

Rubber Helmet Strap can be used in conjunction with the PolyTac or 3AA ProPolymer HAZ-LO. It is an easy, "no tools required" method to attach your flashlight to almost any helmet. Made of high-strength rubber. Also fits hard hats.

POLYTAC® HELMET LIGHTING KIT

Kit includes PolyTac with lithium batteries, helmet mount and rubber helmet strap.

PolyTac features a rugged housing, extreme brightness and extended run times. TEN-TAP® Programming lets you choose the order of operating modes: 1.) high/strobe/low; 2.) high only; 3.) low/high. IPX7- waterproof to 1m for 30 minutes.

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,500	4,900	675
DISTANCE:	214m	140m	52m
RUN TIME (CR123):	2.75h	5.5h	34h
STROBE RUNS 5.5 HOURS (CR123)			



Durable, aluminum helmet mount makes it easy to transition the PolyTac from a helmet mounted light to a handheld lighting tool in seconds

BATTERY: 2 CR123A lithium
SIZE: 5.34" (13.56 cm)
WEIGHT: 4.2 oz (121g)
COLOR: Yellow

NFPA
 Meets requirements of
 NFPA 1971-8.6 (2013)






Kit includes PolyTac, CR123A lithium batteries, helmet mount and rubber helmet strap



Rubber helmet strap is an easy "no tools required" method to attach your flashlight to your helmet

ITEM #	ITEM DESCRIPTION
88854	HELMET LIGHTING KIT — YELLOW POLYTAC, RUBBER HELMET STRAP, HELMET MOUNT AND LITHIUM BATTERIES

HELMET LIGHTING KIT ACCESSORIES

ACCESSORY	PART #	GOES WITH
 HELMET MOUNT	88085	POLYTAC, 3AA PROPOLYMER HAZ-LO, 4AA PROPOLYMER LUX
 RUBBER HELMET BAND	99075	POLYTAC, 3AA PROPOLYMER HAZ-LO, 4AA PROPOLYMER LUX
 CR123A LITHIUM BATTERIES - 2PK CR123A LITHIUM BATTERIES - 6PK CR123A LITHIUM BATTERIES - 12PK CR123A LITHIUM BATTERIES - 400PK	85175 85180 85177 85179	POLYTAC

3AA PROPOLYMER® HAZ-LO® HELMET LIGHTING KIT

Kit includes 3AA ProPolymer HAZ-LO with alkaline batteries, helmet mount and rubber helmet strap.

3AA ProPolymer HAZ-LO is an intrinsically safe flashlight for use in hazardous locations. It produces a tight beam with optimum peripheral illumination. Resistant to chemicals and solvents. IP67 rated dust-tight and waterproof to 1m for 30 minutes; IPX4 for water spray.

LUMENS:	120
CANDELA:	14,000
DISTANCE:	237m
RUN TIME:	6h 30m



BATTERY: 3 "AA" alkaline
SIZE: 7.0" (17.78 cm)
WEIGHT: 7.5 oz (213g)
COLOR: Yellow



Permissible Flashlight. Approval No. 20-A140003-0 – Tested for Intrinsic Safety in Methane-Air mixtures only.



Class I, Div 1, Groups A, B, C, D;
 Class II, Div. 1, Groups E, F, G;
 Class III, T4 Exia



Kit includes 3AA ProPolymer HAZ-LO, alkaline batteries, helmet mount and rubber helmet strap

ITEM #	ITEM DESCRIPTION
68270	HELMET LIGHTING KIT— 3AA PROPOLYMER HAZ-LO, RUBBER HELMET STRAP, HELMET MOUNT AND ALKALINE BATTERIES

4AA PROPOLYMER® LUX®

This safety-rated light has a long-reaching, bright beam and an ergonomic design for comfortable handling. Unbreakable, scratch-resistant lens. IP67-rated; waterproof to 1m for 30 minutes. 1m impact-resistance tested. Corrosion-proof.

BATTERY: 4 "AA" alkaline
SIZE: 7" (17.78 cm)
WEIGHT: 7.6 oz (216g)
COLOR: Yellow or Black

LUMENS:	100
CANDELA:	4,200
DISTANCE:	130m
RUN TIME:	6h



4AA Lux Div. 1



Class I, Div. 1, Groups C & D;
 Class I, Div. 2, Groups A, B, C, D;
 Class II, Div. 1, Groups F & G;
 Class III; Exia; T4



Permissible Flashlight
 App. No. 20-AD60002-0
 Tested for use in methane-air mixtures only



4AA Lux Div. 2



Class I, Div. 2,
 Groups A, B, C, D;
 Class II, Div. 2,
 Groups F&G;
 Class III, T3C (142 C)

NFPA

Meets requirements of
 NFPA 1971-8.6 (2007);
 500° heat resistance test

YELLOW	BLACK	ITEM DESCRIPTION
68244	68344	4AA PROPOLYMER LUX DIV. 2 WITH ALKALINE BATTERIES
68602	68702	4AA PROPOLYMER LUX DIV. 1 WITH ALKALINE BATTERIES

ALL-PURPOSE LIGHTING TOOLS

FOR NON-STRUCTURAL FIRE FIGHTING

POCKET MATE® USB // NEW

	HIGH	LOW
LUMENS:	325	45
CANDELA:	1,450	200
DISTANCE:	76m	28m
RUN TIME:	20min	1 h



The Pocket Mate is small in size but big on power - produces 325 lumens. Conveniently fits in your pocket and clips to your lapel or visor for hands-free use. IPX4 weather-resistant. Two year warranty.

BATTERY: Lithium polymer
SIZE: 2" (5.1 cm)
WEIGHT: 0.5 oz. (14.2g)
COLOR: Black, Red, Blue, Pink



ITEM #	ITEM DESCRIPTION
73300	POCKET MATE - WITH USB CORD - BOX - SILVER
73301	POCKET MATE - WITH USB CORD - BOX - RED



Clip onto brim of hat for hands-free use

STYLUS PRO®

LUMENS:	100
CANDELA:	950
DISTANCE:	62m
RUN TIME:	8h



The Stylus Pro is the ultimate high-performance pen light. So sleek and compact, it's unbelievable that it provides such incredible output! Use it for close inspections, or shine the light across a room – it provides a beam distance of 58 meters.

BATTERY: 2 "AAA" alkaline
SIZE: 5.3" (13.4 cm)
WEIGHT: 1.64 oz (46.9g)
COLOR: Black or Red

ITEM #	ITEM DESCRIPTION
66118	STYLUS PRO WITH ALKALINE BATTERIES – MATTE BLACK
66120	STYLUS PRO WITH ALKALINE BATTERIES – RED
66028	NYLON HOLSTER

STYLUS PRO® USB

	HIGH	LOW
WHITE LED		
LUMENS:	350	90
CANDELA:	2,950	840
DISTANCE:	109m	58m
RUN TIME:	1.5h	3.5h



You won't want to be without this sleek, compact penlight that USB rechargeable. High and low modes for brighter light or longer run time. Consistent light output throughout battery life. IPX4 water-resistant.

BATTERY: Lithium ion
SIZE: 5.95" (151mm)
WEIGHT: 1.8 oz (51 g)
COLOR: Black

ITEM #	ITEM DESCRIPTION
66133	STYLUS PRO 120V AC - INCLUDES HOLSTER - BLACK
22070	22" USB CORD
66029	NYLON HOLSTER

MACROSTREAM® USB

High-powered ultra-compact lithium ion battery-powered flashlight. It fits in the palm of your hand or comfortably in your pocket and provides unparalleled performance for its size. Durable aluminum construction; IPX4 water-resistant.

BATTERY: Lithium Ion
SIZE: 4.5" (114.3 mm)
WEIGHT: 2.2 oz (62.4g)
COLOR: Black

ITEM #	ITEM DESCRIPTION
66320	MACROSTREAM USB - USB CORD & LANYARD - BOX - BLACK

MICROSTREAM®

LUMENS:	45
CANDELA:	420
DISTANCE:	41m
RUN TIME:	2.25h



The MicroStream is small enough for you to discreetly keep it in your pocket or clip it to a ball cap for hands-free use. This versatile tool is perfect for supervisors who don't need a flashlight on a daily basis, or for those who don't want to be weighed down by larger lighting tools.

BATTERY: 1 "AAA" alkaline
SIZE: 3.6" (91.5 mm)
WEIGHT: 1.1 oz (31.2g)
COLOR: Black or Red



Pocket clip attaches to visor for hands-free use

ITEM #	ITEM DESCRIPTION
66318	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - BLACK
66323	MICROSTREAM WITH ALKALINE BATTERIES - CLAM - RED

MICROSTREAM® USB

	HIGH	LOW
LUMENS:	250	50
CANDELA:	1,150	250
DISTANCE:	68m	31m
RUN TIME:	1.5h	3.5h



This compact lithium ion battery-powered flashlight is designed for use in all markets. It features a tail cap switch with momentary or constant on operation, high and low beams and a combination pocket/hat clip for convenience. Durable aluminum construction; IPX4 water-resistant.

BATTERY: Lithium ion
SIZE: 3.87" (98.2 cm)
WEIGHT: 1.2 oz (34.1 g)
COLOR: Black



Pocket clip attaches to visor for hands-free use

ITEM #	ITEM DESCRIPTION
66604	MICROSTREAM USB - USB CORD & LANYARD - BOX - BLACK
66605	MICROSTREAM USB - USB CORD & LANYARD - BOX - RED

	HIGH	LOW
LUMENS:	500	50
CANDELA:	2,200	220
DISTANCE:	90m	30m
RUN TIME:	2h	8h



Pocket clip attaches to visor for hands-free use

STINGER® 2020

The next evolution in high-performance, work-ready flashlights produces 2,000 lumens. Its aluminum alloy body with textured side panels and an anti-roll design is ergonomically shaped for a sure grip. It features dual power switches and an intuitive mode selector switch for ease of use. Select high for brightest light or low for extended run time.

A long-lasting SL-B26 USB rechargeable battery pack offers multiple charging options using existing Stinger smart chargers and bank chargers to charge inside the light; use a dual USB cord to charge the battery pack outside the light or a Li-ion battery bank charger to charge multiple batteries at once.

IPX7 waterproof to 1m submersion, corrosion-resistant sealed glass lens.

BATTERY: 2 SL-B26 Li-Ion USB rechargeable battery packs
SIZE: 7.67" (19.48cm)
WEIGHT: 12.3 oz (350g)
COLOR: Black

	HIGH	MEDIUM	LOW
LUMENS:	2,000	850	100
CANDELA:	26,000	12,000	6,000
DISTANCE:	315m	200m	70m
RUN TIME:	2h	4h	24h

STROBE RUNS 3.25 HOURS



Uses two SL-B26™ protected Li-Ion USB rechargeable battery packs



Mode switch for easy selection of High, Medium or Low

ITEM #	ITEM DESCRIPTION
78101	STINGER 2020 - 120V AC/12V DC

TAA COMPLIANT

STINGER LED HL®

	HIGH	MEDIUM	LOW
LUMENS:	800	400	200
CANDELA:	24,000	12,000	6,000
DISTANCE:	310m	219m	155m
RUN TIME:	1.5h	2.5h	5h

STROBE RUNS 3 HOURS



When you need maximum illumination with a wide beam to search a large area, this rechargeable, high lumen flashlight provides a blast of 800 lumens with 310 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4 water-resistant.

BATTERY: NiMH
SIZE: 8.41" (21.36 cm)
WEIGHT: 12.4 oz (352g)
COLOR: Black

ITEM #	ITEM DESCRIPTION
75430	STINGER LED HL - 120V AC/12V DC - 2 HOLDERS

STRION LED HL®

	HIGH	MEDIUM	LOW
LUMENS:	615	320	160
CANDELA:	12,000	6,000	3,000
DISTANCE:	219m	155m	110m
RUN TIME:	1.25h	2.5h	4.5h

STROBE RUNS 3 HOURS



When you need maximum illumination with a wide beam to search a large area, the compact Strion LED HL provides a high-powered blast of 615 lumens with 219 meters of beam distance. Three modes allow you to select the right amount of light for your job, extend the run time or use strobe to signal your location. IPX4 water-resistant. Anti-roll head design.

BATTERY: Lithium ion
SIZE: 5.90" (14.99 cm)
WEIGHT: 5.2 oz (148g)
COLOR: Black

ITEM #	ITEM DESCRIPTION
74752	STRION LED HL - 120V AC/12V DC - 2 HOLDERS

STINGER // STRION ACCESSORIES

ACCESSORIES		STINGER 2020	STINGER LED HL	STRION LED HL
5-UNIT BANK CHARGER		75400	75400	---
6-UNIT BANK CHARGER 120V		---	---	74400
SMART CHARGER		75105	75105	74102
PIGGYBACK® CHARGER (INCLUDES NIMH BATTERY) STINGER SERIES		---	75277	---
PIGGYBACK® CHARGER (BATTERY NOT INCLUDED) STRION SERIES		---	---	74115
SL-B26 BATTERY PACK		78105	---	---
LI-ION BATTERY STICK		---	75176	74175
NIMH BATTERY STICK		---	75375	---
12V DC1 CHARGE CORD 12V DC2 CHARGE CORD		22051 22050	22051 22050	22051 22050
“Y” USB CORD		22082	---	---
120V AC CHARGE CORD		22071	22071	22071
LEATHER PLAIN HOLSTER		---	75133	74059
LEATHER WEAVE HOLSTER		---	75134	74060
NYLON HOLSTER		---	75927	---
LOOP NYLON HOLSTER		---	75928	---
DUTY HOLSTER		---	88053	88051
RING HOLDER		---	75906	---



STREAMLIGHT®

POLYTAC® X USB // POLYTAC® X

	HIGH	MEDIUM	LOW
LUMENS:	600	260	35
CANDELA:	11,485	4,930	675
DISTANCE:	205m	135m	50m
RUN TIME (CR123):	2.75h	5.5h	34h
RUN TIME (SL-B26):	3.5h	5.75h	36h

STROBE RUNS 8 HOURS



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

NFPA

Meets requirements of NFPA 1971-8.6 (2013)

This 600 lumen tactical light incorporates Multi-Fuel Design that provides you the versatility to use two CR123 batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. Superior grip texture provides a comfortable/slip-resistant feel. IPX7 - waterproof to 1m for 30 minutes.



BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.46" (13.87 cm)

WEIGHT: 4.4 oz (125g) CR123; 4.9 oz (139g) SL-B26

COLOR: Black, Yellow

YELLOW	BLACK	ITEM DESCRIPTION
88604	88603	POLYTAC X - TWO CR123A LITHIUM BATTERIES & HOLSTER
88614	88613	POLYTAC X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER

PROTAC® HL-X USB // PROTAC® HL-X

	HIGH	MEDIUM	LOW
LUMENS:	1,000	400	65
CANDELA:	27,100	10,000	1,600
DISTANCE:	330m	200m	80m
RUN TIME (CR123):	1.25h	3h	20h
RUN TIME (SL-B26):	1.5h	3.5h	23h

STROBE RUNS 2.5 HOURS (CR123);
3.25 HOURS (SL-B26)



MULTI-FUEL DESIGN:
Runs on SL-B26 battery pack or CR123A batteries

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

The ProTac HL-X features multi-battery versatility - uses two CR123A batteries or one Streamlight SL-B26® protected Li-Ion USB rechargeable battery pack. It features a push-button tail switch for momentary or constant on operation, three different user selectable programs and a pocket clip for convenience.



BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 5.46" (13.87 cm)

WEIGHT: 5.7 oz (162g) CR123; 6.2 oz (176g) SL-B26

COLOR: Black

ITEM #	ITEM DESCRIPTION
88065	PROTAC HL-X - 2 CR123A LITHIUM BATTERIES & HOLSTER
88085	PROTAC HL-X USB - SL-B26 BATTERY PACK, USB CORD & HOLSTER

PROTAC® 90 X USB // PROTAC® 90 X USB

The MULTI-FUEL ProTac 90 X is an EDC light with a twist. It features a right-angle head that gives extra lighting capability for those with multiple lighting needs. Carry in your hand or attach to your MOLLE, belts, harnesses and other gear for hands-free use.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack; also accepts 2 CR123A lithium batteries

SIZE: 4.39" (11.1cm)

WEIGHT: 4.9 oz (139g) with SL-B26 battery pack; 4.4 oz. (125g) with CR123A lithium batteries

COLOR: Black



MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries






	HIGH	MEDIUM	LOW
LUMENS:	1,000	300	65
CANDELA:	7,350	2,060	450
DISTANCE:	171m	91m	42m
RUN TIME (CR123):	2.5h	4h	21h
RUN TIME (SL-B26):	1.75h	4.75h	24h
STROBE RUNS 2.5 HOURS (CR123); 3.5 HOURS (SL-B26)			

TEN-TAP® Programmable - choose from three programs:

- high/strobe/low
- high only
- low/medium/high

ITEM #	ITEM DESCRIPTION
88094	PROTAC 90X WITH CR123A LITHIUM BATTERIES AND HOLST
88095	PROTAC 90 X USB - SL-B26 BATTERY PACK AND HOLSTER

POLYTAC // PROTAC ACCESSORIES

ACCESSORY	PART #	GOES WITH
CR123A LITHIUM BATTERIES 2PK 6PK 12PK 400PK 	85175 85180 85177 85179	POLYTAC X, PROTAC HL-X, PROTAC 90 X
SL-B26 BATTERY PACK - 1PK SL-B26 BATTERY PACK - 2PK 	22101 22102	POLYTAC X USB, PROTAC HL-X USB
LI-ION BATTERY PACK KIT - USB LI-ION BATTERY PACK KIT - 120V AC 	22010 22011	POLYTAC X USB, PROTAC HL-X USB
LI-ION BANK CHARGER 	SEE PAGE 25	POLYTAC X USB, PROTAC HL-X USB
USB CORD - 40" (101 CM) USB CORD - 22" (55.88 CM) 	22070 22081	POLYTAC X USB, PROTAC HL-X USB

DUALIE® 2AA


	SPOT	FLOOD	COMBO
LUMENS:	115	115	175
CANDELA:	3,100	75	-
DISTANCE:	111m	17m	-
RUN TIME:	24h	24h	15h



Integrated magnet on tail end for hands-free use.

See what's ahead of you and right at your feet with the intrinsically safe Dualie® 2AA. This compact flashlight features two beams that can be used simultaneously or individually as needed: a front-facing spot beam and a downward cast flood light. The two beams provide multi-directional lighting to help prevent slips, trips and falls. This flashlight is safety-rated for Class 1, Div. 1 environments and even includes a magnet on the tail end for hands-free use.

BATTERY: 2 "AA" alkaline
SIZE: 6.1" (15.5 cm)
WEIGHT: 3.9 oz (111g)
COLOR: Yellow or Black



ITEM #	ITEM DESCRIPTION
67751	DUALIE 2AA - WITH BATTERIES - BOX - YELLOW
67753	DUALIE 2AA - WITH BATTERIES - BOX - BLACK

DUALIE® RECHARGEABLE

See what's ahead of you and right in front of your feet with the Dualie Rechargeable. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. A magnetic clip also features a hang-hook for methods of hands-free use. Save on battery costs - it's rechargeable! Intrinsically Safe - Class I & II, Div. 1.

BATTERY: Lithium ion
SIZE: 7.5" (19.05 cm)
WEIGHT: 7.09 oz (201g)
COLOR: Yellow or Black



WITHOUT MAGNETIC CLIP	WITH MAGNETIC CLIP	ITEM DESCRIPTION
68732	68793	120V/100V AC - BOX - YELLOW
68733	68794	120V/100V AC - BOX - BLACK
68734	68795	12V DC - BOX - YELLOW
68735	68796	12V DC - BOX - BLACK
68730	68785	LIGHT ONLY - BOX - YELLOW
68731	68786	LIGHT ONLY - BOX - BLACK



DUALIE® 3AA

	SPOT	FLOOD	COMBO
LUMENS:	140	140	245
CANDELA:	7,300	80	-
DISTANCE:	171m	18m	-
RUN TIME:	18h	18h	9h



Features a forward facing spot beam and a downward flood light - use individually or at the same time.


Rugged, snag-free clip conforms to body of light; grabs onto shirts, pockets and gear.



Magnetic clip with integrated hang hook for hands-free use.

See what's ahead of you and right in front of your feet with the Dualie 3AA. Its bright light, which shines both ahead of you and downward, helps you avoid slips, trips and falls. Intrinsically Safe - Class I & II, Div. 1.

BATTERY: 3 "AA" alkaline or lithium
SIZE: 7" (17.78 cm); 7.5" (19.05 cm) - Magnetic Clip
WEIGHT: 6.8 oz (193g); 7.1 oz (201g) - Magnetic Clip
COLOR: Yellow or Black



ITEM #	ITEM DESCRIPTION
68751	DUALIE 3AA - W/O BATTERIES - BOX - YELLOW
68753	DUALIE 3AA - W/O BATTERIES - BOX - BLACK
68782	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - YELLOW
68783	DUALIE 3AA MAGNET - WITH ALK BATTERIES - BOX - BLACK
68780	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - YELLOW
68781	DUALIE 3AA MAGNET - W/O BATTERIES - BOX - BLACK

	SPOT	FLOOD	COMBO
LUMENS:	180	105	275
CANDELA:	11,500	60	-
DISTANCE:	171m	18m	-
RUN TIME:	7h 15m	13h 30m	5h 30m



Features a forward facing spot beam and a downward flood light - use individually or at the same time.



Rugged, integrated, pocket clip conforms to body of light; grabs onto shirts, pockets and gear.



Magnetic clip with integrated hang hook for hands-free use.

WATCH YOUR STEP



DUAL BEAMED LIGHTS FOR SAFER SITES.

Prevent slips, trips and falls with the Dualie® 2AA, Dualie® 3AA and Dualie® Rechargeable. Dual beams illuminate what's in front of you and right at your feet. Dual switches allow you to use beams independently or together. Intrinsically safe and virtually indestructible, the Dualie Series are safety rated for the harshest Class 1, Div. 1 environments.



DUALIE® 2AA
FLOOD + SPOT BEAMS = 175 TOTAL LUMENS



DUALIE® 3AA
FLOOD + SPOT BEAMS = 245 TOTAL LUMENS



DUALIE® RECHARGEABLE
FLOOD + SPOT BEAMS = 275 TOTAL LUMENS



© 2019 STREAMLIGHT, INC. | STREAMLIGHT.COM

DUALIE ACCESSORIES

ACCESSORY	PART #	GOES WITH
 HELMET MOUNT	68085	DUALIE 3AA, DUALIE RECHARGEABLE
 POLYMOUNT KIT	68089	DUALIE 2AA, DUALIE 3AA, DUALIE RECHARGEABLE
 RUBBER HELMET BAND	99075	DUALIE 2AA, DUALIE 3AA, DUALIE RECHARGEABLE
 CHARGER	68790	DUALIE RECHARGEABLE
 BANK CHARGER	68789	DUALIE RECHARGEABLE
 120V USB CHARGE CORD	22071	DUALIE RECHARGEABLE
 22" (55.88 CM) USB CORD	22081	DUALIE RECHARGEABLE

THE MOST VERSATILE LANTERN FAMILY
FEATURES THE HARDEST
WORKING
SIEGE LANTERN.



SUPER SIEGE®

The Super Siege rechargeable scene light/work lantern provides 360° of bright light that illuminates an entire scene. A rechargeable lithium ion battery supplies the power to charge your Streamlight flashlights, smartphones and tablets. Remove the globe cover and hang the Super Siege upside down by its D-ring for large area lighting needs. Use the Glare Guard™ to shield light from 1/2 the globe for up-close task lighting. Set it to SOS mode for emergency situations. Working in a grueling environment? No problem! A rubber base keeps it stable on slippery or uneven surfaces, and a watertight storage compartment keeps small items dry. IPX7 waterproof to 1m. It floats.

BATTERY: Rechargeable Lithium Ion battery
SIZE: 7.5" (19.05 cm)
WEIGHT: 1 lb 14 oz (867g)
COLOR: Coyote or Yellow

WHITE	HIGH	MEDIUM	LOW
LUMENS:	1,100	550	125
RUN TIME:	5.75h	11.5h	36.25h
RED	HIGH	SOS	LOW
LUMENS:	2.7	2.7	1
RUN TIME:	140h	320h	348h



With **[(RED SOS)]**
 Hold on/off button to activate.

Rechargeable lithium ion battery supplies the power for the lantern as well as enabling you to recharge all your electronic devices from the handy USB port

ITEM #	ITEM DESCRIPTION
44947	SUPER SIEGE - 120V AC - COYOTE
44945	SUPER SIEGE - 120V AC - YELLOW
44909	120V AC CHARGE CORD
44950	GLARE GUARD™
44951	MAGNETIC BASE - BLACK



A small dry storage area is provided in the lights base for all your "keep dry" needs



Magnetic Accessory Base

SIEGE® X USB

The ultimate rechargeable lantern. This 2-in-1 lantern/flashlight combo provides 360° of light to illuminate a large area as well as a focused beam to light your path. Multiple modes to meet all of your lighting needs plus SOS for emergency signaling. IPX7 waterproof.

BATTERY: SL-B26 Li-Ion USB rechargeable battery pack or 2 CR123A lithium batteries

SIZE: 4.35" (11.05 cm)

WEIGHT: 7.2 oz (204.12g)

COLOR: Coyote

ITEM #	ITEM DESCRIPTION
44956	SIEGE X USB - WITH SL-B26 BATTERY PACK – COYOTE

THE SIEGE®

WHITE	HIGH	MEDIUM	LOW
LUMENS:	540	275	55
RUN TIME:	30h	70h	295h
RED	HIGH	SOS	
LUMENS:	10	10	
RUN TIME:	235h	430h	



With [(RED SOS)]

Hold on/off button to activate.

Features rugged carry handle and D-rings for hanging



Magnetic Accessory Base



The Siege is brighter, more durable, and much more versatile than other emergency/camping lanterns. It's bright enough to light up a whole campsite. It runs for over 30 hours on high and over 12 days on low! Its handle and D-rings allow you to hang it or clip it almost anywhere, upright or inverted. It has 3 white light settings, a red light for softer, less intense light, and an SOS mode. Remove the top for brighter light. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.

BATTERY: 3 "D" alkaline

SIZE: 7.25" (18.41 cm)

WEIGHT: 1 lb 15 oz (878g)

COLOR: Coyote

ITEM #	ITEM DESCRIPTION
44931	THE SIEGE – COYOTE
44950	GLARE GUARD™
44952	MAGNETIC BASE - BLACK

LANTERN	HIGH	MEDIUM	LOW
LUMENS:	325	170	30
RUN TIME:	4.5h	7.75h	25h
RED	HIGH	SOS	
LUMENS:	1.6	1.6	
RUN TIME:	22h	90h	



MULTI-FUEL DESIGN:

Runs on SL-B26 battery pack or CR123A batteries



FLASHLIGHT	HIGH	LOW
LUMENS:	300	40
CANDELA:	6,000	900
DISTANCE:	155m	60m
RUN TIME:	3.5h	25h

Incorporated flashlight produces 300 lumens



SIEGE® AA

WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h
RED	HIGH	SOS	
LUMENS:	.7	.7	
RUN TIME:	192h	288h	



With [(RED SOS)]

Hold on/off button to activate.

Optional magnetic base for hands-free work.



The Siege AA lantern features one white LED and two red LEDs. There are five output modes and a battery level indicator built into the on/off button. Use the lantern with or without the outer globe cover. Battery indicator flashes to alert you to low battery. Waterproof to 1m; it floats.



The yellow Siege AA has three strong magnets in the base. It's a versatile, hands-free work light that can be attached to steel surfaces like engines, machines, or other equipment.



BATTERY: 3 "AA" alkaline (not included)

SIZE: 5.44" (13.82 cm)

WEIGHT: 8.8 oz (249.47g)

COLOR: Coyote or Yellow

ITEM #	ITEM DESCRIPTION
44941	SIEGE AA – COYOTE
44943	SIEGE AA - YELLOW W/MAGNETIC BASE
44942	MAGNETIC BASE - COYOTE



STREAMLIGHT THE WIDEST RANGE OF HANDS-FREE LIGHTING TOOLS

Streamlight proudly builds headlamps for all types of users... from those needing safety-rated models for use in hazardous locations or the night shift worker needing a little extra light to set up a worksite. Our choices of beam types, light output and runtime ensures you'll be able to find exactly the light you need.

SPOT / FLOOD

MODELS

KEY ATTRIBUTES:
Multi-Function
Task Lighting
General Use
Multi-Purpose



RECHARGEABLE

USB HAZ-LO Headlamp*
Double Clutch USB*
Twin-Task USB Headlamp*
Enduro Pro USB*


NON - RECHARGEABLE

Double Clutch Alkaline *
Twin-Task 3AA Headlamp
Trident - Div. 2*
Trident - HAZ-LO *
Enduro Pro
Enduro Pro HAZ-LO*

FLOOD

MODELS

KEY ATTRIBUTES:
Arm's Length
Task Lighting
Wide, Smooth Light



RECHARGEABLE

ProTac HL USB Headlamp
Bandit
Bandit Pro


NON - RECHARGEABLE

Septor - Div. 2*
Septor - HAZ-LO*
ProTac HL Headlamp*

SPOT

MODELS

KEY ATTRIBUTES:
Down Range
Long Distance



RECHARGEABLE

QB*

NON - RECHARGEABLE

Argo - Div. 2*
Argo HAZ-LO*
3AA HAZ-LO Headlamp*
Enduro*
Vantage II

SPECIALTY / COLOR LEDs

MODELS

KEY ATTRIBUTES:
Preserve Night Vision
Won't Spook Game

RECHARGEABLE

Bandit*
Bandit Pro

NON - RECHARGEABLE

Enduro Pro
Green Trident*
Buckmasters Trident*

*VISIT STREAMLIGHT.COM FOR MORE INFORMATION

TWIN-TASK® 3AA HEADLAMP

Multi-use headlamp provides a spot beam or a flood light to cover a variety of tasks. Use the spot beam for distance lighting. When you have an up-close task, use the flood light for smooth, diffused light to fill your work area.

BATTERY: 3 "AA" alkaline
WEIGHT: 7.6 oz (215 g)
COLOR: Red

ITEM #	ITEM DESCRIPTION
51061	TWIN-TASK 3AA HEADLAMP - ALKALINE BATTERIES AND ELASTIC STRAP - CLAM - RED
51062	TWIN-TASK 3AA HEADLAMP - ALKALINE BATTERIES AND ELASTIC STRAP - BOX - RED
51065	TWIN-TASK 3AA HEADLAMP - ALKALINE BATTERIES AND RUBBER STRAP - BOX - RED

SPOT	HIGH	MEDIUM	LOW
LUMENS:	300	100	50
CANDELA:	2,900	1,000	500
DISTANCE:	108m	63m	45m
RUN TIME:	4.25h	20h	38h



FLOOD	HIGH	LOW
LUMENS:	250	125
CANDELA:	140	80
DISTANCE:	24m	18m
RUN TIME:	3.5h	7.5h

BANDIT® PRO

BANDIT	HIGH	LOW
LUMENS:	180	35
RUN TIME:	4.5h	21h

EMERGENCY FLASH - 180 LUMENS



Multi-function push-button switch with charge indicator - shines red when charging, green when charged

The Bandit Pro is an ultra-lightweight, weather-resistant headlamp featuring a large, easy-to-use push button and a rechargeable lithium polymer battery. It includes a handy snap-in clip adaptor to attach the Bandit Pro to a pocket or clip it to the visor on a ball cap; it also adds additional downward adjustability. High, low and emergency flash modes.

Two hard hat mounting options:

Rubber strap

3M® Dual Lock® reclosable fasteners



BATTERY: Rechargeable lithium polymer
WEIGHT: 1.6 oz (45.4g)
COLOR: Yellow

ITEM #	ITEM DESCRIPTION
61716	BANDIT PRO - INCLUDES USB CORD, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW

ENDURO® PRO

SPOT	HIGH	MEDIUM	LOW
LUMENS:	200	75	25
CANDELA:	2,250	825	300
DISTANCE:	95m	57m	35m
RUN TIME:	6h	14h	38h



FLOOD	HIGH	MEDIUM	LOW
LUMENS:	135	45	15
CANDELA:	210	80	20
DISTANCE:	29m	18m	9m
RUN TIME:	6h	14h	38h

This low-profile headlamp features multiple modes to cover a variety of tasks: spot for a focused beam, flood for soft area illumination that won't tire your eyes and red light to preserve night vision. Multi-function switch remembers the last mode used. IPX4 water-resistant.

Two hard hat mounting options:

Rubber strap

3M® Dual Lock® reclosable fasteners



BATTERY: 3 "AAA" alkaline (included) or lithium
WEIGHT: 3.4 oz (96.35g)
COLOR: Yellow

ITEM #	ITEM DESCRIPTION
61422	ENDURO PRO - INCLUDES ALKALINE BATTERIES, RUBBER HARD HAT STRAP AND 3M DUAL® LOCK® FASTENERS - YELLOW

STREAMLIGHT CARES:
 PRODUCTS THAT SUPPORT **NATIONAL FALLEN FIRE FIREFIGHTERS FOUNDATION**



Congress created the National Fallen Firefighters Foundation to lead a nationwide effort to honor America's fallen firefighters. Since 1992, the non-profit foundation has developed and expanded programs that fulfill that mandate. Their mission is to honor and remember America's fallen fire heroes and to provide resources to assist their survivors in rebuilding their lives. For more information, visit www.firehero.org.

VANTAGE®

The solution to firefighters' hands-free lighting needs. Attaches easily to helmets and rotates 360°. Fits snugly against helmet to prevent snags. Features a bright blue taillight so you can be seen from behind even in heavy smoke. Easy to operate with gloves. Fits both traditional and modern helmets.

BATTERY: 2 CR123A lithium
SIZE: 3.26" (8.28 cm)
WEIGHT: 5.14 oz (145.7 g)
COLOR: Red

LUMENS:	115
CANDELA:	7,000
DISTANCE:	167m
RUN TIME:	6h

NFPA Meets requirements of NFPA 1971-8.6 (2013); 500° heat resistance test



For every red Vantage sold, we donate \$3 to the National Fallen Firefighters Foundation

ITEM #	ITEM DESCRIPTION
69157	VANTAGE HELMET LIGHT - RED

SIEGE® AA

The Siege AA lantern features one white LED and two red LEDs. There are five output modes and a battery level indicator within the on/off button. Hang the body upside down by its D-ring for hands-free area lighting. Waterproof. It floats.

BATTERY: 3 "AA" alkaline
SIZE: 5.44" (13.82 cm)
WEIGHT: 8.8 oz (249.47g)
COLOR: Red

WHITE	HIGH	MEDIUM	LOW
LUMENS:	200	100	50
RUN TIME:	7h	15.5h	37h

RED	HIGH	SOS
LUMENS:	.7	.7
RUN TIME:	192h	288h



For every red Siege AA sold, we donate \$2 to the National Fallen Firefighters Foundation

ITEM #	ITEM DESCRIPTION
44953	SIEGE AA — RED

NANO LIGHT®

This tiny, weatherproof light has a non-rotating snap hook for easy one-handed operation when attached to a keychain.

BATTERY: 4 alkaline button cell
SIZE: 1.47" (3.73 cm)
WEIGHT: .36 oz (10 g)
COLOR: Red

LUMENS:	10
RUN TIME:	8h



For every red Nano Light sold, we donate \$1 to the National Fallen Firefighters Foundation

ITEM #	ITEM DESCRIPTION
73005	NFFF/RED WITH WHITE LED
61205	4 PACK COIN CELL NANO LIGHT BATTERIES



NOTES:



#STREAMLIGHTSTRONG



Streamlight, Inc.
30 Eagleville Road
Eagleville, PA U.S.A 19403-3996

streamlight.com // streamlightgear.com
(800) 523-7488 Toll-Free
(800) 220-7007 Fax
(610) 631-0600
(610) 631-0712 Fax